

# UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.

1399.100 PMDS

First Named Inventor or Application Identifier:

Gyu-Yeong SON

Express Mail Label No.

**APPLICATION ELEMENTS**

See MPEP chapter 600 concerning utility patent application contents.

**ADDRESS TO: Assistant Commissioner for Patents**  
**Box Patent Application**  
**Washington, DC 20231**

1. ☒ Fee Transmittal Form
2. ☒ Specification, Claims & Abstract ..... [ Total Pages: 12 ]
3. ☒ Drawing(s) (35 USC 113) ..... [ Total Sheets: 5 ]
4. ☐ Oath or Declaration ..... [ Total Pages:    ]
  - a. ☐ Newly executed (original or copy)
  - b. ☐ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional with Box 17 completed)
    - i. ☐ **DELETION OF INVENTOR(S)**  
 Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation by Reference (usable if Box 4b is checked)  
 The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Microfiche Computer Program (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
  - a. ☐ Computer Readable Copy
  - b. ☐ Paper Copy (identical to computer copy)
  - c. ☐ Statement verifying identity of above copies

**ACCOMPANYING APPLICATION PARTS**

8. ☐ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement (when there is an assignee) [ ☐ Power of Attorney
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)/PTO-1449 [ ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503) (Should be specifically itemized)
14. ☐ Small Entity Statement(s) [ ☐ Statement filed in prior application, status still proper and desired.
15. ☒ Certified Copy of Priority Document(s) (if foreign priority is claimed)
16. ☐ Other:

**17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:**[ ☐ Continuation [ ☐ Divisional [ ☐ Continuation-in-part (CIP) of prior application No:        /       **18. CORRESPONDENCE ADDRESS**
 STAAS & HALSEY  
 Attn: Michael D. Stein  
 700 Eleventh Street, N.W., Suite 500  
 Washington, DC 20001

 Telephone: (202) 434-1500  
 Facsimile: (202) 434-1501

# NEW APPLICATION FEE TRANSMITTAL

Attorney Docket No.

1399.1001/MDS

Application Number

unassigned

Filing Date

December 14, 1998

AMOUNT ENCLOSED

\$

First Named Inventor

Gyu-Yeong SON

## FEE CALCULATION (fees effective 10/01/97)

CLAIMS	(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) CALCULATIONS
	TOTAL CLAIMS	15 - 20 =	0	X \$ 18.00 =	\$ 0.00
	INDEPENDENT CLAIMS	3 - 3 =	0	X \$ 78.00 =	0.00
	MULTIPLE DEPENDENT CLAIMS (any number; if applicable)			+ \$260.00 =	
	BASIC FILING FEE				+ 760.00
	Total of above Calculations =				\$ 760.00
	Surcharge for late filing fee, Statement or Power of Attorney (\$130.00)				+
	Reduction by 50% for filing by small entity (37 CFR 1.9, 1.27 & 1.28).				-
	TOTAL FILING FEE =				\$ 760.00
	Surcharge for filing non-English language application (\$130.00; 37 CFR 1.52(d))				+
	Recordation of Assignment (\$40.00; 37 CFR 1.21(h)(1))				+
	TOTAL FEES DUE =				\$ 760.00

## METHOD OF PAYMENT

- ☐ Check enclosed as payment.
- ☐ Charge "TOTAL FEES DUE" to the Deposit Account No., below.
- ☒ No payment is enclosed and no charges to the Deposit Account are authorized at this time.

## GENERAL AUTHORIZATION

- ☒ If the above-noted "AMOUNT ENCLOSED" is not correct, the Commissioner is hereby authorized to credit any overpayment or charge any additional fees necessary to:

Deposit Account No.


19-3935

Deposit Account Name

STAAS &amp; HALSEY

- ☒ The Commissioner is also authorized to credit any overpayments or charge any additional fees required under 37 CFR 1.16 (filing fees) or 37 CFR 1.17 (processing fees) during the prosecution of this application, including any related application(s) claiming benefit hereof pursuant to 35 USC § 120 (e.g., continuations/divisionals/CIPs under 37 CFR 1.53(b) and/or continuations/divisionals/CPAs under 37 CFR 1.53(d)) to maintain pendency hereof or of any such related application.

SUBMITTED BY: STAAS &amp; HALSEY

Typed Name	Michael D. Stein	Reg. No.	37,240
Signature		Date	12/14/98

## TITLE OF THE INVENTION

RESERVED PROGRAM RECORD SETTING METHOD AND APPARATUS  
FOR A PROGRAM PREVIEW

## 5 CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of Korean Application No. 97-68542, filed December 13, 1997, in the Korean Patent Office, the disclosure of which is incorporated herein by reference.

## BACKGROUND OF THE INVENTION

## 10 1. Field of the Invention

The present invention relates to a reserved program record setting method and apparatus for a program preview (notifying program guide information), and more particularly, to an improved reserved program record setting method and apparatus for a program preview by which a user sets a predetermined program as a reserved program (a program to be reserved for recording) by activating a program preview storing key when a program preview of a regular program to be recorded is broadcast (displayed) and not the program itself being broadcast.

## 15 2. Description of the Related Art

Generally, a KBPS (Korea Broadcasting Program Service) code is a broadcasting code which is transmitted from a broadcasting station. Each broadcasting station has its own number and code.

Namely, in the case that a user wishes to watch a predetermined broadcasting program such as a movie, sports program etc., but cannot watch the program due to a predetermined event, the user may use a function for reserving a program record by storing a code of the program using a predetermined code determined for every broadcasting program.

The broadcasting station outputs a program reserving code which corresponds to the amount of one week for a reserved program record function when transmitting a broadcasting

signal. Therefore, a user having a KBPS VCR (Video Cassette Tape Recorder) and a television set can reserve a program by selecting the predetermined code for the desired broadcasting program to be recorded in advance by one week.

FIG. 1 illustrates the construction of a conventional apparatus for setting a reserved program record using a VCR and a television set. The conventional apparatus may be in the VCR, the television set or other products in so far as the broadcasting program can be recorded by using a reserving code in these products.

The apparatus for setting a reserved program record includes a tuner 11 receiving a broadcasting signal from a broadcasting station, a key input unit 16 having a reserved program record start key 16a, a controller 12 for selecting a broadcasting frequency of a predetermined program, outputting the selection signal of the selected broadcasting frequency to the tuner 11, selecting KBPS data when a reserved program record start signal is received from a receiver 17 and outputting a control signal indicating reserved time (a preset recording time, that is, the time to be preset by a user indicating when the recording of a broadcasting program will start and end), a memory 13 for transmitting and receiving signals with the controller 12 and storing reserved KBPS data therein, a KBPS decoder 14 for analyzing the KBPS data contained in the broadcasting signal among the signals which may be selected and transferring the analyzed KBPS signal to the controller 12, and a recording unit 15 for recording the decoded broadcasting signal into a recording medium in accordance with an instruction from the controller 12.

FIG. 2 is a flow chart illustrating steps of a reserved program record based on the conventional KBPS apparatus shown in FIG. 1. As shown therein, when a user inputs a selection using a reserved program record start key on a VCR remote controller (key input unit 16) in Step S21, broadcasting stations, times, dates, and titles of broadcasting programs are listed on a television screen for as much as one week in the future in Step S22. At this time, a cursor blinks on a title of a program which is currently being broadcast (reviewed by the user) on the screen of the television set in Step S23.

The user moves the cursor to reserved data indicative of reserving data for reserving recording of a broadcasting program a user wants to record, such as recording start and end times, a broadcasting channel, etc. (in Step S24) of the broadcasting program which is

selected by the user as a broadcasting program to be recorded, and then moves the cursor to the reserved time (in Step S25) and the title (in Step S26) of the broadcasting program selected by the user to be reserved.

The user verifies whether or not the selected program is a desired broadcasting program in Step S27, and if the selected program is a desired broadcasting program to be recorded, the program reserving code is stored using the reserved program record start key 16a in Step S28. The VCR power is turned off in Step S29 and the reserved program record is completed in Step S30.

However, in the conventional KBPS reserved program record method, when the user wishes to reserve a predetermined broadcasting program, the user must repeatedly move the cursor, so that much effort is required for reserving the desired broadcasting program, and the procedure for reserving the broadcasting program is complicated.

In particular, over a weekend, there may be a number of broadcasting programs to reserve for predetermined times, so that the time required for moving the cursor to reserve these broadcasting programs is increased.

## SUMMARY OF THE INVENTION

Accordingly, it is an object of the present invention to provide a reserved program record setting method for a program preview which overcomes the aforementioned problems encountered in the conventional art.

It is another object of the present invention to provide a reserved program record setting method for easily setting the reservation for recording of a broadcasting program by using a preview of the broadcasting program.

It is still another object of the present invention to provide a reserved program record setting method for a program preview which is capable of more quickly reserving for recording a broadcasting program to be recorded by once pressing a program preview storing key while a program preview of the broadcasting program desired to be recorded is being broadcast.

In order to achieve the above objects, there is provided a reserved program record setting method for a program preview using a VCR and a television set, which includes a

first step of judging whether a program preview of a broadcasting program to be reserved and recorded is being broadcast, a second step of storing the program preview when the program preview is being broadcast in a reserved program record mode, and a third step of completing a reserved program recording operation by turning off the VCR.

5 Additional advantages, objects and other features of the invention will be set forth in part in the description which follows and, in part, will become apparent to those having ordinary skill in the art upon examination of the following or may be learned from practice of the invention. The objects and advantages of the invention may be realized and attained as particularly pointed out in the appended claims as a result of the experiment compared to  
10 the conventional art.

## BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will become more fully understood from the detailed description given hereinbelow and the accompanying drawings which are given by way of illustration only, and thus are not limitative of the present invention, and wherein:

15 FIG. 1 is a block diagram illustrating a conventional reserved program record setting apparatus;

FIG. 2 is a flow chart illustrating a conventional reserved program record setting method;

20 FIG. 3 is a block diagram illustrating a reserved program record setting apparatus using a program preview of a broadcasting program to be reserved and recorded according to an embodiment of the present invention; and

FIGS. 4A and 4B are flow charts illustrating a reserved program record setting method using program preview of the broadcasting program to be reserved and recorded according to the embodiment of the present invention.

## 25 DESCRIPTION OF THE PREFERRED EMBODIMENTS

The operational principle according to the present invention will be explained with reference to the accompanying FIGS. 3 through 4B.

FIG. 3 is a block diagram illustrating a reserved program record setting apparatus using a program preview according to an embodiment of the present invention. The reserved program record setting apparatus may be in a VCR, television set, or other products in so far as the broadcasting program can be recorded by using a reserving code in these products.

As shown therein, the reserved program record setting apparatus using a program preview according to the embodiment of the present invention includes a tuner 11 receiving a broadcasting signal from a broadcasting station, a key input unit 18 having a reserved program record start key 18a and a program preview storing key 18b, a receiver 20 for receiving a reserved program record start signal or a program preview storing signal according to a user activating the reserved program record start key 18a or the program preview storing key 18b, respectively, a controller 19 for selecting a broadcasting frequency, outputting a selection signal indicative of the selected broadcasting frequency and program preview of KBPS data such as a KBPS program reserving code when the program preview storing signal is received from the receiver 20 and outputting a control signal which indicates the reserved program record start when the reserved program record start signal is received from the receiver 20, a memory 13 for transmitting and receiving signals with the controller 19 and storing the KBPS program reserving codes, a KBPS decoder 14 for analyzing the KBPS data contained in the broadcasting signal among the selected broadcasting signals and transferring the analyzed KBPS data to the controller 19, and a recording unit 15 for recording the decoded broadcasting signal into a recording medium in accordance with a recording instruction from the controller 19. The broadcasting signal includes electronic program guide (EPG) data which has the program previews and the KBPS program reserving codes indicative of recording start and end times, broadcasting channel, etc., of the broadcasting channel corresponding to the program preview.

FIGS. 4A and 4B are flow charts illustrating a reserved program record setting method using a program preview according to the embodiment of the present invention. The operation of the reserved program record setting apparatus using the program preview according to the embodiment of the present invention will be explained with reference to these drawings.

First, when a broadcasting signal is input through an antenna (not shown) of a television set, the received broadcasting signal is tuned by the tuner 11, and the KBPS data contained in the tuned broadcasting signal is analyzed by the KBPS decoder 14 and is transferred to the controller 19.

5        When the broadcasting station transmits KBPS program reserving codes of the KBPS data for a program reserving function, the transmission is implemented assuming that the KBPS program reserving codes are transmitted.

10        The KBPS program reserving code input into the controller 19 is stored into the memory 13 and may be displayed on the screen of the television set (not shown) in accordance with a key input signal of a user.

15        First, the user judges whether the program preview of the broadcasting program to be reserved and recorded is broadcast (currently being displayed on the screen of the television) or the program preview has ended while the user is watching a program received by the tuner 11 in Step S51.

20        When the program preview is being broadcast, the user directly presses the program preview storing key 18b disposed on the key input unit 18 (which may be a VCR remote controller) and stores the KBPS program reserving code, for the program preview corresponding to the broadcasting program to be reserved and recorded, into the memory 13 in Step S52.

25        Therefore, when the broadcasting program of the program preview is broadcast, the recording unit 15 records the broadcasting program according to the KBPS program reserving code stored at the time of viewing the program preview of the broadcasting program.

30        The user finishes a reserved program record operation by turning off the VCR in Step S53.

35        Then, the reserved program record is completed in Step S54.

40        However, if the program preview of the broadcasting program to be recorded is broadcast, the KBPS program reserving code of the broadcasting program to be recorded can be directly stored using the program preview storing key 18b.



If the program preview is changed to another program preview before the KBPS program reserving code is stored using the program preview storing key 18b while watching the currently displayed program preview, or the program preview has ended, the user may reserve the broadcasting program to be recorded according to the conventional method by pressing the reserved program record start key 18a. FIG. 4B shows the steps as to how the user reserves the broadcasting program according to the conventional method. Steps S61 through S68 are the same as Steps S21 through S28, shown in FIG. 4B, respectively, and thus a detailed description of Steps S61 through S68 is omitted. After Step S68 is completed, the process returns to Step S53 to await the turning off of the VCR power.

Namely, since the user may use the program preview storing key 18b and the reserved program record start key 18a, it is possible to reserve a predetermined program at any time.

In addition, the KBPS program reserving code of the regular broadcasting program to be recorded is stored into the memory 13 and then the reserved program record is completed only when the power of the VCR is turned off (see Step S54).

Therefore, when the reserved program record is completed, if the data and time are matched, the recording unit 15 is automatically operated to record a predetermined reserved program in accordance with an instruction of the controller 19.

As described above, in the reserved program record setting method using a program preview according to the present invention, it is possible to automatically record a predetermined broadcasting program to be broadcast in the future by reserving the broadcasting program using the program preview storing key during the broadcasting (displaying) of the program preview compared to the conventional art in which the reserved broadcasting program is recorded by using the input key and cursor several times to indicate a plurality of items of information about the broadcasting program, so that it is possible to quickly and easily implement a reserved program recording operation.

The foregoing description relates to KBPS data transmission, but the present invention is applicable to any standard utilizing similar principles.

Although the preferred embodiment of the present invention has been disclosed for illustrative purposes, those skilled in the art will appreciate that various modifications, additions and substitutions are possible, without departing from the scope and spirit of the inventions recited in the accompanying claims.

## CLAIMS

What is claimed is:

1           1.     A method of implementing a reserved program recording operation of a VCR  
2 (Video Cassette Tape Recorder) having a reserved program recording function, comprising  
3 the steps of:

4           (a)    judging whether a program preview of a broadcasting program to be recorded  
5 is currently being broadcast;

6           (b)    storing a program reserving code of the broadcasting program while the  
7 program preview is being broadcast in a reserved program recording mode according to a  
8 first input by a user; and

9           (c)    completing the reserved program recording operation by turning off the VCR.

1           2.     The method of claim 1, wherein while the program preview corresponding to  
2 the broadcasting program to be recorded is being broadcast, performing said step (b), and  
3 when another program preview is being broadcast or the program preview has ended,  
4 performing the recorded program record operation in a reserved program record start mode  
5 according to a second input by the user.

1           3.     The method of claim 1, wherein if the another program preview is being  
2 broadcast or the program preview has ended, the method further comprises the steps of:  
3           inputting a reserved program record start key;  
4           displaying information regarding broadcasting programs to be broadcast within a  
5 predetermined time into the future;  
6           setting an indicator on various items relating to a reserved program to be recorded;  
7           verifying that the reserved program is correct; and  
8           storing reserved program data relating to the reserved program using the reserved  
9 program record start key.

1           4.     The method of claim 3, further comprising the step of completing a reserved  
2 program record by turning off the VCR subsequent to storing the reserved program.

1           5.     The method of claim 1, wherein the reserved program recording function is a  
2 Korea Broadcasting Program Service (KBPS) reserved program recording function.

1           6.     A method of implementing a reserved program recording operation of a VCR  
2 (Video Cassette Tape Recorder) having a reserved program recording function and used with  
3 a television having a display screen, comprising the steps of:

4           judging whether a program preview of a program to be recorded in the future is being  
5 broadcast; and

6           if the program preview is currently being broadcast, storing a program reserving code  
7 for recording in response to an input by a user.

1           7.     The method of claim 6, further comprising the step of completing the reserved  
2 recording program operation by turning off the VCR.

1           8.     The method of claim 6, wherein if the program preview is not being broadcast  
2 or the program preview has ended, then the method further comprises the step of performing  
3 the recorded program record operation in a reserved program record start mode according to  
4 another input by the user.

1           9.     The method of claim 6, wherein if the program preview is not being broadcast  
2 or the program preview has ended, then the method further comprises the steps of:

3           inputting a reserved program record start key;

4           displaying information regarding broadcasting programs for a predetermined time into  
5 the future;

6           setting an indicator on various items relating to one of a plurality of programs which  
7 is a reserved program to be recorded;

8           verifying that the reserved program is correct; and

9           storing reserved program data relating to the reserved program using the reserved  
10 program record start key.

1           10.    An apparatus for implementing a reserved program recording operation of a  
2   VCR (Video Cassette Recorder) having a reserved program recording function, comprising:  
3           a tuner to receive a plurality of broadcasting programs and reserving codes of the  
4   broadcasting programs receivable by said tuner;  
5           an input unit having a program preview key to generate a program preview program  
6   storing signal in response to a command from a user;  
7           a memory; and  
8           a controller to store one of the reserving codes corresponding to one of the  
9   broadcasting programs to be broadcast in the future and recorded in said memory if a  
10   program preview of the one of the broadcasting programs to be broadcast in the future is  
11   currently being broadcast and in response to receiving the program preview storing signal  
12   while the program preview is being broadcast.

1           11.    The apparatus as claimed in claim 10, wherein said controller completes the  
2   reserved program recording operation in response to the user turning off the VCR.

1           12.    The apparatus as claimed in claim 10, further comprising a recording unit,  
2   wherein said controller reads the stored one reserving code from said memory, controls said  
3   decoder to decode the broadcasting program during the broadcasting thereof in accordance  
4   with the stored one reserving code, and said recording unit records the decoded broadcasting  
5   program.

1           13.    The apparatus as claimed in claim 10, wherein:  
2           said input unit has a reserved program record start key and control keys;  
3           wherein if the program preview is not being broadcast, then the user activates the  
4   reserved program record start key, said controller displays information regarding the  
5   broadcasting programs to be broadcast in the future and within a predetermined time on the  
6   display screen, the user sets an indicator on various items relating to a reserved one of the  
7   broadcasting programs to be recorded, the user verifies that the reserved program is correct,

8 and said controller stores a program reserve code in said memory in accordance with the user  
9 again using the reserved program record start key.

1 14. The method of claim 12, wherein the reserved program recording function is a  
2 Korea Broadcasting Program Service (KBPS) reserved program recording function.

1 15. A method of setting a recording reservation of a broadcasting program by  
2 using electronic program guide (EPG) information included in a broadcasting signal,  
3 comprising the steps of:

4 (a) determining whether a program preview of the broadcasting program to be  
5 recorded is currently being broadcast; and

6 (b) setting the recording reservation of the broadcasting program by using a program  
7 preview storing key in response to the determination that the program preview is currently  
8 being broadcast.

## ABSTRACT OF THE DISCLOSURE

A reserved program record setting method and apparatus for a program preview of a broadcasting program to be recorded and used with a video cassette recorder (VCR) and a television set. The method includes a first step of judging whether a program preview of a  
5 broadcasting program to be reserved and recorded is being broadcast, a second step of storing a program reserving code of the broadcasting program when the program preview is currently being broadcast in the reserved program recording mode, and a third step of completing a reserved program recording operation by turning off the VCR, thereby quickly reserving a record for a predetermined program by once pressing a program preview storing  
10 key while the program preview of the broadcasting program to be recorded is being broadcast.

FIG. 1 PRIOR ART





FIG. 2 PRIOR ART






FIG. 3




FIG. 4A




FIG. 4B

